

Stage Area Saleable Area Single Family Allotments **Total Area of Allotments** Open Space Drainage Reserve **Total Open Space** Area of New Road **Residential Allotments 25m Deep Allotments Typical Size** 12.5m x 25m Premium Villa Allotment Courtyard Allotment 14m x 25m Sub-Total 25m Deep Allotments **30m Deep Allotments** Typical Size 10m x 30m Villa Allotment 12.5m x 30m Premium Villa Allotment raditional Allotment 20m x 30m Sub-Total 30m Deep Allotments **Total Residential Allotments** Length of New Road Shared Access Driveway 14.0m Wide New Road 16.0m Wide New Road 16.5m Wide New Road

Development Statistics

Notes:

General

- 1. Maximum building location envelopes shown are subject to future proposed easements and/or other underground services.
- Site Cover
- 2. Site cover (excluding eaves, sun shading devices, patios, balconies and other unenclosed structures) does not exceed that outlined in the Site Cover Table.

Car Parking Spaces

3. Minimum of 2 onsite car parking spaces are provided per dwelling.

Garages and Carports

4. Garage and carport openings shall be as per Garage and Carport Openings Table.

Driveways

- 5. Driveway crossovers are located in accordance with this Plan of Development.
- 6. Driveways do not include a reversing bay, manoeuvring area or **Corner lots** visitor parking space(s) (other than tandem spaces) in the front setback.

Waste

- 7. Each dwelling includes a bin storage area that:
- is not visible from public areas or screened from public areas; - has a minimum area of 1.0m x 2.0m - if located within the garage, the area must be ventilated;
- if located within the front setback, must be stored in a small 12. Minimum setbacks shall be as per Plan of Development enclosure.

Casual Surveillance

- 8. Dwellings generally must address primary frontages with a minimum of a window and either a front door or pedestrian entrance. Dwellings on corner lots may have a front door addressing the secondary frontage but must still address the primary frontage with a window on each level.
- least 2.5m² that face the street.

Total Length of New Road

- narrow frontage addressing a road.
- Built to Boundary Walls
- Residential Uses Table. Setbacks
- Setbacks Table.

Parking Breakdown

Total On-Street Parking Spaces Required 19 Total On-Street Parking Spaces Provided 20

SITE COVER									
Building Height		Lot Size							
	300m ² or less	301 - 400m²	401 - 500m ²	501m² +					
8.5m or less	75%	70%	60%	60%					

GARAGE AND CARPORT OPENINGS

			-	_		
Covered car space	ce opening(s) per street frontage	-				
	Less Than 12.5m 1	2.5m to 18m	Greater than 18m			
Single Storey Dwelling	a. maximum 50% of the front frontage width (being the frontage vehicle access is from); and	a. 6m wide maximum; and	a. recessed at least 1.0m behind the main building line	-		
Additional Requirements for Single Storey Dwelling	 b. recessed: i. at least 1.0m behind the mai or ii. at least 1.0m behind a front p than 2.0m in front of the mair 	portico and no more				
Two Storey Dwelling	a. 6.0m wide maximum; and b. recessed 1.0m behind the front upper level.	t wall or balcony of				
	Editor's note - Front wall is to hav 40% of the adjoining frontage.	e a minimum length of				

BUILT TO BOUNDARY WALLS RESIDENTIAL USES

Lot frontage width	Mandatory / Optional	Length and Height of Built to Boundary Wall
More than 7.5m to 12.5m	Mandatory - one side	Max Length: 60% of the length of the boundary
		Max Height: 4.5m
More than 12.5m to 18m	Optional: i. on 1 boundary only;	Max Length: the lesser of 15m or 60% of the length of the boundary
	ii. where the built to boundary wall adjoins a lot with a frontage less than 18m.	Max Height: 4.5m
	Not permitted - Otherwise	
Greater than 18m	Not permitted	Not permitted*

Note - Max Length includes the length of walls of any other buildings on the same boundary. e.g. detached garage, carport or shed. Note - For the maximum height of domestic outbuildings refer to the examples that achieve aspects of the performance outcomes for building

height and domestic outbuildings.

*Note - Built to boundary walls are not permitted, however, reduced side and rear boundary clearances may be permitted as prescribed (e.g. QDC).


PLAN OF DEVELOPMENT SETBACKS

	Frontage						Side	Rear	
Height of Wall	Primary			Secondary to street			Non-built to boundary wall	To OMP and wall	
	To Wall	To OMP*	To covered car parking space	To Wall	To OMP*	To covered car parking space	To Wall	To OMP* and Wall	
Less than 4.5m	Min. 3m	Min. 2m	Min. 5.4m	Min. 2m	Min. 1m	Min. 5.4m	Min. 1m**	As per QDC	
4.5m to 8.5m	Min. 3m	Min. 2m	N/A	Min. 2m	Min. 1m	N/A	#Min. 1m**	As per QDC	
* OMP includes architectural features such as piers, pylons, eaves, etc.									

** Eaves may encroach to a maximum of 450mm.

One side must be setback a min. 1.5m to the wall.

Note - This is a qualifiable standard that is an alternative provision to QDC, part MP1.1, A1 (a), (b) and (c), A2 (a), (b) and (d) and part MP1.2, A1 (a), (b) and (c), A2 (a), (b) and (d). Non-compliance with this provision for a Dwelling house requires a concurrence agency response from Council.



Stage 22B


	3
	6
)	Lots
	11
I	20
	1
	32
	38
	31m
	40m
	56m


9. The building must have a window with an area of at least 1m² or multiple habitable room windows having a combined area of at

10. For corner lots, the Primary Frontage shall be considered the

11. Built to boundary walls shall be as per Built to Boundary Walls


5m С О 375m² 1547 375m² 121530 1548 % 300m² 1549 2 1531 375m² 1550 375m² 1551 Railway 375m² 1552 300m² 1553 ₽/ F Road 21534 $10m^2$ 300m² 1554 ₽/ 3 375m² ≈1535 10m 1555 3 Coast 25 New 375m² 45m2 1536 1556 300m² 1557 ₽ 300m² 1558 ₽ STAGE 22B Wide 375m² 1559 10 10 \mathbf{N} 54 54 1/543 375m² 30 5m 1560 North 300m² 300m² 510m² 300m² 1561 5 6 20.7 13.5 300m² 1562.5 495m² 375m² 375m² 375m² 1563 1546 1545 1544 375m² 1564 N 12.5 12.5 375m² 1565 2000 5,845m² 1566 3620m² 30.8







MBRC Lot Types

 Lot Type B (>7.5 - 10m) 10m x 30m Lot Type C (>10 - 12.5m) 12.5m x 25m - 38m Lot Type D (>12.5 - 18m) 13m - 15m x 30m Lot Type E (>18 - 32m) 18.8m x 30m 	19 (50.0%) 7 (18.4%)





10 (26.3%)	
	_



Rev No: DATE: CLIENT: DRAWN BY: JC CHECKED BY: WNW/DG

D 31 AUGUST 2022 PEET

Legend



Site Boundary Froposed Stage Boundary Balance Lot Proposed Stage

Note:

All Lot Numbers, Dimensions and Areas are approximate only, and are subject to survey and Council approval.

Dimensions have been rounded to the nearest 0.1 metres.

Areas have been rounded down to the nearest 5m².

The boundaries shown on this plan should not be used for final detailed engineers design

Source Information: Site boundaries: DCDB Adjoining information: DCDB.



URBAN DESIGN Level 4 HQ South 520 Wickham Street PO Box 1559 Fortitude Valley QLD 4006 T +61 7 3539 9500 W rpsgroup.com



© COPYRIGHT PROTECTS THIS PLAN Unauthorised reproduction or amendment not per